



## VT Headset Compatibility Alignment Checking Form

Desk Phone Brand	VT Brand-PN No	VT Tube Label Color	Model No
<b>Aastra</b>	QD-RJ09(01)	no tube	Aastra 6730i. 390 Screenphone. 470 Screenphone. 480e Screenphone. 8004. 8009. 9216. 9316 CW. 9417 CW
<b>Alcatel-Lucent</b>	QD-RJ09(01)	no tube	
	QD-3.5mm JACK(02)		
<b>Atcom</b>	QD-RJ09(01)	no tube	
<b>Avaya</b>	QD-RJ09(01)	no tube	
<b>Ascom</b>	QD-RJ09(01)	no tube	
<b>3-Com</b>	QD-RJ09(01)	no tube	
<b>Gigaset</b>	QD-RJ09(01)	no tube	
<b>Mitel</b>	QD-RJ09(01)	no tube	
<b>NEC</b>	QD-RJ09(01)	no tube	
<b>Nortel Networks</b>	QD-RJ09(01)	no tube	
<b>ShoreTel</b>	QD-RJ09(01)	no tube	
<b>Digium</b>	QD-RJ09(01)	no tube	
<b>Escene</b>	QD-RJ09(01)	no tube	
<b>Fanvil</b>	QD-RJ09(01)	no tube	
<b>Zycoo</b>	QD-RJ09(01)	no tube	
<b>Konftel</b>	QD-RJ09(01)	no tube	
<b>NEC</b>	QD-RJ09(01)	no tube	
<b>Nortel Networks</b>	QD-RJ09(01)	no tube	
<b>Splicecom</b>	QD-RJ09(01)	no tube	

<b>Sangoma</b>	QD-RJ09(01)	no tube	
<b>Panasonic</b>	QD-RJ09(01)	no tube	
	QD-2.5mm JACK		
<b>EnGenius</b>	QD-2.5mm JACK		
<b>Vtech</b>	QD-2.5mm JACK		
<b>Unify</b>	QD-2.5mm JACK		
<b>Spectralink</b>	QD-2.5mm JACK		
<b>ZTE</b>	QD-3.5mm JACK		
<b>Polycom</b>	QD-RJ09(01)	no tube	
<b>Alcatel-Lucent</b>	QD-RJ09(01)	no tube	
<b>AudioCodes</b>	QD-RJ09(01)	no tube	
<b>Toshiba</b>	QD-RJ09(01)	no tube	
<b>SAMSUNG</b>	QD-RJ09(01)	no tube	
<b>Tiptel</b>	QD-RJ09(01)	no tube	
	QD-RJ09(03)	Blue Tube	
<b>Htek</b>	QD-RJ09(03)	Blue Tube	
<b>Cisco</b>	QD-RJ09(02)	Yellow Tube	
<b>Yealink</b>	QD-RJ09(03)	Blue Tube	
<b>Grandstream</b>	QD-RJ09(03)	Blue Tube	
<b>Huawei</b>	QD-RJ09(03)	Blue Tube	
<b>Akuvox</b>	QD-RJ09(03)	Blue Tube	
<b>Siemens</b>	QD-RJ09(03)	Blue Tube	
<b>Xorcom</b>	QD-RJ09(03)	Blue Tube	
<b>Snom</b>	QD-RJ09(01)	no tube	Snom 300
	QD-RJ09(03)	Blue Tube	Snom 190. Snom 320. Snom 360. Snom 710. Snom 715. Snom 720. Snom 760. Snom 820. Snom 821. Snom 870.

<b>Avaya</b>	QD HIS + cord	1608, 1616, 9608, 9610, 9611, 9611G, 9620, 9620C, 9620L, 9621, 9630, 9630G,9640, 9640G 9641, 9641G, 9650, 9650G, 9650C, 9670
	QD HIC + cord	Avaya: 2410, 2420, 4406, 4412, 4424, 4406D+, 4412D+, 4424D+, 4424LD+, 4610SW,4620, 4620SW,4621SW,5410, 5420, 5610, 5620, 6416D+M, 6424D+M, 9404, and 9408
<b>PC/Laptop</b>	USB(01)/USB(02)	Win XP / Vista / 7, Linux, and Mac OS X,USB2.0 /USB 3.0 .
<b>PC//Laptop</b>	LYNC-USB(03)	USBWin XP / Vista / 7and above system Linux, and Mac OS X,USB2.0 /
<b>Work with any Desk Phone</b>	<b>Smart Cord (Is Equivalent to Jabra GN1200 )</b>	<b>A.</b> Level: Most Standard deskphones <b>B.</b> Level: Cisco IP Phones <b>C.</b> Level: Ascom & Philips Phones <b>D.</b> Level: Yealink & Avaya & HuaWei IP Phone <b>E.</b> Level: Yealink & Avaya & HuaWei IP Phone <b>(Mic amplified YES/+9dB)</b> <b>F.</b> Level: Most Standard deskphone <b>(Mic amplified YES/+9dB)</b>
<b>GN-QD (Quick Disconnect )</b>	<b>IS 100% compatible with original GN (JABRA) Quick Disconnect (QD )</b>	
<b>PLT-QD (Quick Disconnect )</b>	<b>IS 100% compatible with original PLT (PLANTRONICS) Quick Disconnect (QD )</b>	
<b>Above compatiability list only show some of them ,Be compatible with most of deskphone in the markets .</b>		